BJBS

CORRECTION
published: 06 February 2025
doi: 10.3389/bjbs.2025.14355

Erratum: Abnormally Low HbA_{1c} Caused by Hemolytic Anemia, a Case Report and Literature Review

*British Journal of Biomedical Science Production Office**

Frontiers Media SA, Lausanne, Switzerland

Keywords: glycated hemoglobin, HbA_{1c}, hemolytic anemia, enzymatic method, diabetes

An Erratum on

Abnormally Low HbA_{1c} Caused by Hemolytic Anemia, a Case Report and Literature Review *by Bakhtiari S, Timbrell NE and D'Almeida SM (2025). Br J Biomed Sci. 81:13898. doi: 10.3389/bjbs.2024.13898*

Due to a production error, an incorrect **Conflict of Interest** Statement was provided. The statement previously read

"Author SD'A was employed by Viollier AG. The remaining authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest."

However, Viollier AG is not a commercial company, therefore the statement should read.

"The authors declare that the research was conducted in the absence of any commercial or financial relationships that could be construed as a potential conflict of interest."

The publisher apologizes for this mistake. The original version of this article has been updated.

***Correspondence**
British Journal of Biomedical Science Production Office,
production@frontierspartnerships.org

***Received:** 16 January 2025*
***Accepted:** 17 January 2025*
***Published:** 06 February 2025*

Citation:
British Journal of Biomedical Science Production Office (2025) Erratum: Abnormally Low HbA_{1c} Caused by Hemolytic Anemia, a Case Report and Literature Review. Br J Biomed Sci 82:14355. doi: 10.3389/bjbs.2025.14355