



OPEN ACCESS

*CORRESPONDENCE

Transplant International Production Office,
✉ production@frontierspartnerships.org

RECEIVED 11 June 2026

ACCEPTED 11 June 2026

PUBLISHED 23 June 2026

CITATION

Transplant International Production Office (2026) Correction: A discrete time simulation model for kidney allocation in Germany.
Transpl. Int. 39:17122.
doi: 10.3389/ti.2026.17122

COPYRIGHT

© 2026 Transplant International Production Office. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: A discrete time simulation model for kidney allocation in Germany

Transplant International Production Office*

Frontiers Media SA, Lausanne, Switzerland

KEYWORDS

discrete time simulation, Eurotransplant, Germany, kidney allocation, simulated allocation models

A Correction on

[A discrete time simulation model for kidney allocation in Germany](#)

by Kakavand N, Coemans M, de Ferrante HC, Kolbrink B, Ziemann M, Radke DI, Lindner M, Naesens M, Schmitt R, Schulte K and von Samson-Himmelstjerna FA (2026). *Transpl. Int.* 39:16189. doi: [10.3389/ti.2026.16189](https://doi.org/10.3389/ti.2026.16189)

Author Roland Schmitt was erroneously assigned as a senior author.
The original article has been updated.