



OPEN ACCESS

*CORRESPONDENCE

Transplant International Production Office,
✉ production.office@frontiersin.org

RECEIVED 19 August 2026

ACCEPTED 19 August 2026

PUBLISHED 01 September 2026

CITATION

Transplant International Production Office (2026) Correction: Blood pressure control after solid organ transplantation: opportunities for optimizing care. *Transpl. Int.* 39:17659. doi: 10.3389/ti.2026.17659

COPYRIGHT

© 2026 Transplant International Production Office. This is an open-access article distributed under the terms of the [Creative Commons Attribution License \(CC BY\)](https://creativecommons.org/licenses/by/4.0/). The use, distribution or reproduction in other forums is permitted, provided the original author(s) and the copyright owner(s) are credited and that the original publication in this journal is cited, in accordance with accepted academic practice. No use, distribution or reproduction is permitted which does not comply with these terms.

Correction: Blood pressure control after solid organ transplantation: opportunities for optimizing care

Transplant International Production Office*

Frontiers Media SA, Lausanne, Switzerland

KEYWORDS

blood pressure management, hypertension, solid organ transplantation, suboptimal treatment, uncontrolled hypertension

A Correction on

Blood pressure control after solid organ transplantation: opportunities for optimizing care

by Posthumus AM, Knobbe TJ, Kremer D, Eisenga MF, Sanders JSF, Berger SP, Smit C, Klont F, Gan CT, Verschuuren EAM, Damman K, de Borst MH, Blokzijl H, Bakker SJL and de Meijer VE (2026). *Transpl. Int.* 39:16565. doi: [10.3389/ti.2026.16565](https://doi.org/10.3389/ti.2026.16565)

The TransplantLines investigators was omitted in the author list of the published article. The correct author list reads:

A. M. Posthumus, T. J. Knobbe, D. Kremer, M. F. Eisenga, J. S. F. Sanders, S. P. Berger, C. Smit, F. Klont, C. T. Gan, E. A. M. Verschuuren, K. Damman, M. H. de Borst, H. Blokzijl, S. J. L. Bakker and V. E. de Meijer on behalf of The TransplantLines investigators.

The original version of this article has been updated.